




POSITION FOR POTENTIAL
LE MANS UNIT



PLEASE CHECK &
CONFIRM DIMENSIONS
& LAYOUT ON SITE
BEFORE ORDERING
CABINETS

WORKTOPS ARE TO BE
MASON MITRED ON SITE.

Client:	BLOOR HOMES	Drawing No:	605182__
Site:	VARIATION 2018 CLASSICS	Revision No:	
House Type:	VARIATION 386 KILBURN ISSUE 4.6	Scale:	Scale-to-fit
House Type 2:	EXCL. UTILITY EXCLUSIVE		



THIS DRAWING AND THE COPYRIGHT THEREIN IS THE PROPERTY OF THE SYMPHONY GROUP PLC. THIS DRAWING IS ISSUED ON THE CONDITION THAT IT MUST NOT BE USED, COPIED OR EXHIBITED WITHOUT THE WRITTEN PERMISSION OF THE SYMPHONY GROUP PLC. ANY COMPONENTS OR ARTICLES MADE IN ACCORDANCE WITH THIS DRAWING MUST NOT BE USED FOR ANY OTHER PURPOSE THAN FOR WHICH THE DRAWING IS ISSUED.

THIS PLAN IS OFFERED AS A GUIDE ONLY FOR APPROVAL BY OUR CUSTOMER. NO RESPONSIBILITY IS UNDERTAKEN FOR ITS ACCURACY IN RELATION TO ORDERS PLACED FOR THE FITTING OF OUR GOODS WITHIN THE DIMENSIONS SHOWN.

**SCHEDULE &
CUBIC CAPACITY**

Symphony[®]

Client Name:	BLOOR HOMES	Site Name:	VARIATION 2018 CLASSICS LEVEL 2 ISSUE 3 & 4 S/O
House Type:	VARIATION 386 KILBURN ISSUE 4.6 EXCL. UTILITY EXCLUSIVE		
Drawing No:	605182__	Revision No:	
Date Drawn:	Thu, Nov 18, 2021	Revision Date:	
Designed By:	CARA NORTCLIFF	Quote No:	

Items on Plan:

Default Style

Plan No.	Qty	Code	Hdg	Description	Dims	CC (M3)
1	1	BU66FGL	L	Base Unit FH (LH End)	600/600/870	0.20
2	1	BU66F3IDC	R	Base Unit FH w/1x Shallow Int. Drw & 2x Deep Int. Drw	600/600/870	0.20
3	1	BU66F	R	Base Unit FH	600/600/870	0.20
4	1	CB126FFP	L	Corner Base FH (600 Door) (Flexi C/Post)	1200/600/870	0.41
5	1	SU66SLFGR	L	Sink Unit FH w/Sink Liner (RH End)	600/600/870	0.20
6	1	OH665AG2	R	Sgl Oven Hsg. (5A) (2 Ends)	600/600/2100	0.28
7	1	WU572G2	L	Wall Unit (2 Ends)	500/300/724	0.08
8	1	WU572GL	R	Wall Unit (LH End)	500/300/724	0.08
9	1	CWU672	R	Corner Wall, No C/Post (300 Door)	600/300/724	0.10
10	1	WU472	L	Wall Unit	400/300/724	0.07
11	1	WU472	R	Wall Unit	400/300/724	0.07
12	1	WU672	L	Wall Unit	600/300/724	0.10
13	1	WU672	R	Wall Unit	600/300/724	0.10
	1	HOBSHIELD6		Hobshield	600	
	1	FRONTPNL72		Frontal Matched Filler Panel (For C/Post)	720	

Total cubic metres of storage

2.09

Worktop Details:

Default Style


Plan No.	Qty	Code	Description	Dims
14	1	PWT	40mm PVC Edged / 40mm Premium / 30mm Hi Def Worktop	2600/600
15	1	PWT	40mm PVC Edged / 40mm Premium / 30mm Hi Def Worktop	2000/600
	1	PFUP3095	Laminate Upstand	3000/95
	1	PFUP3095	Laminate Upstand	3000/95

Accessories and Trims:

Default Style

Qty	Code	Description	Dims
2	CONPLINTHR	Replacement End Matched Continuous Plinth w/Plinth Seal	2600
1	CTRAYVFH6	Standard Internal Cutlery Tray (For BU66F3ID/BU66F4ID)	600
1	GLSPLASH675	Glass Splashback	600/750
2	RUNITPROTECT	Kitchen Protective Material	
1	TOPSEALBOLT	Topseal Easibolt Pack	
1	VENTGRIDGR	Aeration Grid Grey	510/45/15

BOILER HOUSING REDUCED TO 335mm
 ON SITE UNLESS BOILER POSITION
 PREVENTS THIS. BOTTOM OF HOUSING
 TO LINE THROUGH WITH WALL UNITS.



650mm DEEP
 WORKTOP

PLEASE CHECK &
 CONFIRM DIMENSIONS
 & LAYOUT ON SITE
 BEFORE ORDERING
 CABINETS

Client:	BLOOR HOMES	Drawing No:	605182U_
Site:	VARIATION 2018 CLASSICS	Revision No:	
House Type:	VARIATION 386 KILBURN ISSUE 4.6	Scale:	Scale-to-fit
House Type 2:	UTILITY EXCLUSIVE		



THIS DRAWING AND THE COPYRIGHT THEREIN IS THE PROPERTY OF THE SYMPHONY GROUP PLC. THIS DRAWING IS ISSUED ON THE CONDITION THAT IT MUST NOT BE USED, COPIED OR EXHIBITED WITHOUT THE WRITTEN PERMISSION OF THE SYMPHONY GROUP PLC. ANY COMPONENTS OR ARTICLES MADE IN ACCORDANCE WITH THIS DRAWING MUST NOT BE USED FOR ANY OTHER PURPOSE THAN FOR WHICH THE DRAWING IS ISSUED.

THIS PLAN IS OFFERED AS A GUIDE ONLY FOR APPROVAL BY OUR CUSTOMER. NO RESPONSIBILITY IS UNDERTAKEN FOR ITS ACCURACY IN RELATION TO ORDERS PLACED FOR THE FITTING OF OUR GOODS WITHIN THE DIMENSIONS SHOWN.

**SCHEDULE &
CUBIC CAPACITY**

Symphony[®]

Client Name:	BLOOR HOMES	Site Name:	VARIATION 2018 CLASSICS LEVEL 2 ISSUE 3 & 4 S/O
House Type:	VARIATION 386 KILBURN ISSUE 4.6 UTILITY EXCLUSIVE		
Drawing No:	605182U_	Revision No:	
Date Drawn:	Thu, Nov 18, 2021	Revision Date:	
Designed By:	CARA NORTCLIFF	Quote No:	

Items on Plan:

Default Style

Plan No.	Qty	Code	Hdg	Description	Dims	CC (M3)
1	1	BU36FGR	L	Base Unit FH (RH End)	300/600/870	0.09
2	1	BH690GR	L	Boiler Housing (Replace RH End on site with panel supplied)	600/400/900	
	1	BWU390R		Replacement End Matched Wall Blender (For Filler)	352/970	
	1	BWU390R		Replacement End Matched Wall Blender (For Filler)	352/970	
	1	BBU6592R		Replacement End Matched Base Blender 650/920 TO BOX BOILER PIPES		
	1	BBU6592R		Replacement End Matched Base Blender 650/920 TO BOX BOILER PIPES		
Total cubic metres of storage						0.09

Worktop Details:


Default Style

Plan No.	Qty	Code	Description	Dims
3	1	PWT	40mm PVC Edged / 40mm Premium / 30mm Hi Def Worktop	1100/650
	1	PFUP3095	Laminate Upstand	3000/95


Accessories and Trims:

Default Style

Qty	Code	Description	Dims
1	CONPLINTHR	Replacement End Matched Continuous Plinth w/Plinth Seal	2600
1	FITFACTOR	FITFACTOR	
1	RUNITPROTECT	Kitchen Protective Material	



Client:	BLOOR HOMES	Drawing No:	605180__
Site:	VARIATION 2018 CLASSICS	Revision No:	
House Type:	VARIATION 386 KILBURN ISSUE 4.6	Scale:	Scale-to-fit
House Type 2:	EXCL. UTILITY STANDARD		



THIS DRAWING AND THE COPYRIGHT THEREIN IS THE PROPERTY OF THE SYMPHONY GROUP PLC. THIS DRAWING IS ISSUED ON THE CONDITION THAT IT MUST NOT BE USED, COPIED OR EXHIBITED WITHOUT THE WRITTEN PERMISSION OF THE SYMPHONY GROUP PLC. ANY COMPONENTS OR ARTICLES MADE IN ACCORDANCE WITH THIS DRAWING MUST NOT BE USED FOR ANY OTHER PURPOSE THAN FOR WHICH THE DRAWING IS ISSUED.

THIS PLAN IS OFFERED AS A GUIDE ONLY FOR APPROVAL BY OUR CUSTOMER. NO RESPONSIBILITY IS UNDERTAKEN FOR ITS ACCURACY IN RELATION TO ORDERS PLACED FOR THE FITTING OF OUR GOODS WITHIN THE DIMENSIONS SHOWN.

**SCHEDULE &
CUBIC CAPACITY**



Client Name:	BLOOR HOMES	Site Name:	VARIATION 2018 CLASSICS LEVEL 2 ISSUE 3 & 4 S/O
House Type:	VARIATION 386 KILBURN ISSUE 4.6 EXCL. UTILITY STANDARD		
Drawing No:	605180__	Revision No:	
Date Drawn:	Thu, Nov 18, 2021	Revision Date:	
Designed By:	CARA NORTCLIFF	Quote No:	

Items on Plan:

Default Style

Plan No.	Qty	Code	Hdg	Description	Dims	CC (M3)
1	1	BBU6592C		Carcase Matched Base Blender	650/920	
2	1	BU66F	L	Base Unit FH	600/600/870	0.20
3	1	BU66F3IDC	R	Base Unit FH w/1x Shallow Int. Drw & 2x Deep Int. Drw	600/600/870	0.20
4	1	BU66F	R	Base Unit FH	600/600/870	0.20
5	1	CB126FFP	L	Corner Base FH (600 Door) (Flexi C/Post)	1200/600/870	0.41
6	1	SU66SLF	L	Sink Unit FH w/Sink Liner	600/600/870	0.20
7	1	OH665A	R	Sgl Oven Hsg. (5A)	600/600/2100	0.28
8	1	BLU7523C		Carcase Matched Tall Blender	750/2400	
9	1	WU572	L	Wall Unit	500/300/724	0.08
10	1	WU572	R	Wall Unit	500/300/724	0.08
11	1	CWU672	R	Corner Wall, No C/Post (300 Door)	600/300/724	0.10
12	1	WU472	L	Wall Unit	400/300/724	0.07
13	1	WU472	R	Wall Unit	400/300/724	0.07
14	1	WU672	L	Wall Unit	600/300/724	0.10
15	1	WU672	R	Wall Unit	600/300/724	0.10
	1	HOBSHIELD6		Hobshield	600	
	1	FRONTPNL72		Frontal Matched Filler Panel (For C/Post)	720	

Total cubic metres of storage

2.09

Worktop Details:

Default Style

Plan No.	Qty	Code	Description	Dims
16	1	PWT	40mm PVC Edged / 40mm Premium / 30mm Hi Def Worktop	2600/600
17	1	PWT	40mm PVC Edged / 40mm Premium / 30mm Hi Def Worktop	2000/600
	1	PFUP3095	Laminate Upstand	3000/95


1	PFUP3095	Laminate Upstand	3000/95
---	----------	------------------	---------

Accessories and Trims:

Default Style

Qty	Code	Description	Dims
1	BRKPLINTH	Plinth Corner Bracket (Pack of 2)	
2	CONPLINTHC	Carcase Matched Continuous Plinth w/Plinth Seal	2600
1	CTRAYVFH6	Standard Internal Cutlery Tray (For BU66F3ID/BU66F4ID)	600
2	RUNITPROTECT	Kitchen Protective Material	
1	SBACK675	Stainless Steel Splashback	600/750
1	TOPSEALBOLT	Topseal Easibolt Pack	
1	VENTGRILL200	Ventilation Grill - Flowrate	200cm2

BOILER HOUSING REDUCED TO 335mm
 ON SITE UNLESS BOILER POSITION
 PREVENTS THIS. BOTTOM OF HOUSING 20
 TO LINE THROUGH WITH WALL UNITS.



PLEASE CHECK &
 CONFIRM DIMENSIONS
 & LAYOUT ON SITE
 BEFORE ORDERING
 CABINETS

Client:	BLOOR HOMES	Drawing No:	605180U_
Site:	VARIATION 2018 CLASSICS	Revision No:	
House Type:	VARIATION 386 KILBURN ISSUE 4.6	Scale:	Scale-to-fit
House Type 2:	UTILITY STANDARD		



**SCHEDULE &
CUBIC CAPACITY**

Symphony[®]

Client Name:	BLOOR HOMES	Site Name:	VARIATION 2018 CLASSICS LEVEL 2 ISSUE 3 & 4 S/O
House Type:	VARIATION 386 KILBURN ISSUE 4.6 UTILITY STANDARD		
Drawing No:	605180U_	Revision No:	
Date Drawn:	Thu, Nov 18, 2021	Revision Date:	
Designed By:	CARA NORTCLIFF	Quote No:	

Items on Plan:

Default Style

Plan No.	Qty	Code	Hdg	Description	Dims	CC (M3)
1	1	BU36F	L	Base Unit FH	300/600/870	0.09
2	1	BH690	L	Boiler Housing	600/400/900	
	1	BWU390C		Carcase Matched Wall Blender (For Filler)	352/970	
	1	BWU390C		Carcase Matched Wall Blender (For Filler)	352/970	
	1	BBU6592C		Carcase Matched Base Blender 650/920 TO BOX BOILER PIPES		
	1	BBU6592C		Carcase Matched Base Blender 650/920 TO BOX BOILER PIPES		

Total cubic metres of storage

0.09

Worktop Details:

Default Style




Plan No.	Qty	Code	Description	Dims
3	1	PWT	40mm PVC Edged / 40mm Premium / 30mm Hi Def Worktop	1100/650
	1	PFUP3095	Laminate Upstand	3000/95

Accessories and Trims:

Default Style

Qty	Code	Description	Dims
1	BRKPLINTH	Plinth Corner Bracket (Pack of 2)	
1	CONPLINTHC	Carcase Matched Continuous Plinth w/Plinth Seal	2600
1	FITFACTOR	FITFACTOR	
1	RUNITPROTECT	Kitchen Protective Material	

POSITION FOR POTENTIAL
LE MANS UNIT



DISHWASHER
SPACE

TALL SINGLE
OVEN HOUSING

FR/FREEZER
SPACE

PLEASE CHECK &
CONFIRM DIMENSIONS
& LAYOUT ON SITE
BEFORE ORDERING
CABINETS

WORKTOPS ARE TO BE
MASON MITRED ON SITE.

POSITION FOR POTENTIAL
INTERNAL 3 DRAWER
UPGRADE

Client:	BLOOR HOMES	Drawing No:	605181__
Site:	VARIATION 2018 CLASSICS	Revision No:	
House Type:	VARIATION 386 KILBURN ISSUE 4.6	Scale:	Scale-to-fit
House Type 2:	EXCL. UTILITY UPGRADE		



THIS DRAWING AND THE COPYRIGHT THEREIN IS THE PROPERTY OF THE SYMPHONY GROUP PLC. THIS DRAWING IS ISSUED ON THE CONDITION THAT IT MUST NOT BE USED, COPIED OR EXHIBITED WITHOUT THE WRITTEN PERMISSION OF THE SYMPHONY GROUP PLC. ANY COMPONENTS OR ARTICLES MADE IN ACCORDANCE WITH THIS DRAWING MUST NOT BE USED FOR ANY OTHER PURPOSE THAN FOR WHICH THE DRAWING IS ISSUED.

THIS PLAN IS OFFERED AS A GUIDE ONLY FOR APPROVAL BY OUR CUSTOMER. NO RESPONSIBILITY IS UNDERTAKEN FOR ITS ACCURACY IN RELATION TO ORDERS PLACED FOR THE FITTING OF OUR GOODS WITHIN THE DIMENSIONS SHOWN.

**SCHEDULE &
CUBIC CAPACITY**

Symphony[®]

Client Name:	BLOOR HOMES	Site Name:	VARIATION 2018 CLASSICS LEVEL 2 ISSUE 3 & 4 S/O
House Type:	VARIATION 386 KILBURN ISSUE 4.6 EXCL. UTILITY UPGRADE		
Drawing No:	605181__	Revision No:	
Date Drawn:	Thu, Nov 18, 2021	Revision Date:	
Designed By:	CARA NORTCLIFF	Quote No:	

Items on Plan:

Default Style

Plan No.	Qty	Code	Hdg	Description	Dims	CC (M3)
1	1	BU66FGL	L	Base Unit FH (LH End)	600/600/870	0.20
2	1	BU66F3IDC	R	Base Unit FH w/1x Shallow Int. Drw & 2x Deep Int. Drw	600/600/870	0.20
3	1	BU66F	R	Base Unit FH	600/600/870	0.20
4	1	CB126FFP	L	Corner Base FH (600 Door) (Flexi C/Post)	1200/600/870	0.41
5	1	SU66SLFGR	L	Sink Unit FH w/Sink Liner (RH End)	600/600/870	0.20
6	1	OH665AG2	R	Sgl Oven Hsg. (5A) (2 Ends)	600/600/2100	0.28
7	1	WU572G2	L	Wall Unit (2 Ends)	500/300/724	0.08
8	1	WU572GL	R	Wall Unit (LH End)	500/300/724	0.08
9	1	CWU672	R	Corner Wall, No C/Post (300 Door)	600/300/724	0.10
10	1	WU472	L	Wall Unit	400/300/724	0.07
11	1	WU472	R	Wall Unit	400/300/724	0.07
12	1	WU672	L	Wall Unit	600/300/724	0.10
13	1	WU672	R	Wall Unit	600/300/724	0.10
	1	HOBSHIELD6		Hobshield	600	
	1	FRONTPNL72		Frontal Matched Filler Panel (For C/Post)	720	

Total cubic metres of storage

2.09

Worktop Details:

Default Style


Plan No.	Qty	Code	Description	Dims
14	1	PWT	40mm PVC Edged / 40mm Premium / 30mm Hi Def Worktop	2600/600
15	1	PWT	40mm PVC Edged / 40mm Premium / 30mm Hi Def Worktop	2000/600
	1	PFUP3095	Laminate Upstand	3000/95
	1	PFUP3095	Laminate Upstand	3000/95

Accessories and Trims:

Default Style

Qty	Code	Description	Dims
2	CONPLINTHR	Replacement End Matched Continuous Plinth w/Plinth Seal	2600
1	CTRAYVFH6	Standard Internal Cutlery Tray (For BU66F3ID/BU66F4ID)	600
2	RUNITPROTECT	Kitchen Protective Material	
1	SBACK675	Stainless Steel Splashback	600/750
1	TOPSEALBOLT	Topseal Easibolt Pack	
1	VENTGRIDGR	Aeration Grid Grey	510/45/15

BOILER HOUSING REDUCED TO 335mm ON SITE UNLESS BOILER POSITION PREVENTS THIS. BOTTOM OF HOUSING TO LINE THROUGH WITH WALL UNITS.



650mm DEEP WORKTOP

PLEASE CHECK & CONFIRM DIMENSIONS & LAYOUT ON SITE BEFORE ORDERING CABINETS

Client:	BLOOR HOMES	Drawing No:	605181U_
Site:	VARIATION 2018 CLASSICS	Revision No:	
House Type:	VARIATION 386 KILBURN ISSUE 4.6	Scale:	Scale-to-fit
House Type 2:	UTILITY UPGRADE		



**SCHEDULE &
CUBIC CAPACITY**

Symphony[®]

Client Name:	BLOOR HOMES	Site Name:	VARIATION 2018 CLASSICS LEVEL 2 ISSUE 3 & 4 S/O
House Type:	VARIATION 386 KILBURN ISSUE 4.6 UTILITY UPGRADE		
Drawing No:	605181U_	Revision No:	
Date Drawn:	Thu, Nov 18, 2021	Revision Date:	
Designed By:	CARA NORTCLIFF	Quote No:	

Items on Plan: Default Style

Plan No.	Qty	Code	Hdg	Description	Dims	CC (M3)
1	1	BU36FGR	L	Base Unit FH (RH End)	300/600/870	0.09
2	1	BH690GR	L	Boiler Housing (Replace RH End on site with panel supplied)	600/400/900	
	1	BWU390R		Replacement End Matched Wall Blender (For Filler)	352/970	
	1	BWU390R		Replacement End Matched Wall Blender (For Filler)	352/970	
	1	BBU6592R		Replacement End Matched Base Blender 650/920 TO BOX BOILER PIPES		
	1	BBU6592R		Replacement End Matched Base Blender 650/920 TO BOX BOILER PIPES		
Total cubic metres of storage						0.09

Worktop Details: Default Style

Plan No.	Qty	Code	Description	Dims
3	1	PWT	40mm PVC Edged / 40mm Premium / 30mm Hi Def Worktop	1100/650
	1	PFUP3095	Laminate Upstand	3000/95

Accessories and Trims: Default Style

Qty	Code	Description	Dims
1	CONPLINTHR	Replacement End Matched Continuous Plinth w/Plinth Seal	2600
1	FITFACTOR	FITFACTOR	
1	RUNITPROTECT	Kitchen Protective Material	