


Client:	BLOOR HOMES	Drawing No:	635361__
Site:	2018 CLASSIC NSS VARIATION BESPOKE	Revision No:	
House Type:	CLASSIC 496 DAWLISH EXCL. UTILITY	Scale:	Scale-to-fit
House Type 2:	STANDARD		



THIS DRAWING AND THE COPYRIGHT THEREIN IS THE PROPERTY OF THE SYMPHONY GROUP PLC. THIS DRAWING IS ISSUED ON THE CONDITION THAT IT MUST NOT BE USED, COPIED OR EXHIBITED WITHOUT THE WRITTEN PERMISSION OF THE SYMPHONY GROUP PLC. ANY COMPONENTS OR ARTICLES MADE IN ACCORDANCE WITH THIS DRAWING MUST NOT BE USED FOR ANY OTHER PURPOSE THAN FOR WHICH THE DRAWING IS ISSUED.

THIS PLAN IS OFFERED AS A GUIDE ONLY FOR APPROVAL BY OUR CUSTOMER. NO RESPONSIBILITY IS UNDERTAKEN FOR ITS ACCURACY IN RELATION TO ORDERS PLACED FOR THE FITTING OF OUR GOODS WITHIN THE DIMENSIONS SHOWN.

**SCHEDULE &
CUBIC CAPACITY**



Client Name:	BLOOR HOMES	Site Name:	2018 CLASSIC NSS VARIATION BESPOKE HT LEVEL 2
House Type:	CLASSIC 496 DAWLISH EXCL. UTILITY STANDARD		
Drawing No:	635361__	Revision No:	
Date Drawn:	Thu, Apr 14, 2022	Revision Date:	
Designed By:	CARA NORTCLIFF	Quote No:	

Items on Plan:

Default Style

Plan No.	Qty	Code	Hdg	Description	Dims	CC (M3)
1	1	BU66F3IDC	R	Base Unit FH w/1x Shallow Int. Drw & 2x Deep Int. Drw	600/600/870	0.20
1.2	1	HOBSHIELD6		Hobshield	600	
2	1	OH663A	R	Dbl Oven Hsg. (3A)	600/600/2100	0.28
3	1	BU36F	R	Base Unit FH	300/600/870	0.09
4	1	BU66F	R	Base Unit FH	600/600/870	0.20
5	1	BU66F	L	Base Unit FH	600/600/870	0.20
6	1	BU56F	L	Base Unit FH	500/600/870	0.16
7	1	SU66SLF	R	Sink Unit FH w/Sink Liner	600/600/870	0.20
8	1	BU56F	L	Base Unit FH	500/600/870	0.16
9	1	BBU6592C		Carcase Matched Base Blender	650/920	
10	1	BU66F	R	Base Unit FH	600/600/870	0.20
11	1	BU66F	L	Base Unit FH	600/600/870	0.20
12	1	BU66F	L	Base Unit FH	600/600/870	0.20
13	1	BU63F	R	Reduced Depth Base Unit FH	600/300/870	0.10
14	1	BU63F	L	Reduced Depth Base Unit FH	600/300/870	0.10
15	1	BU63F	L	Reduced Depth Base Unit FH	600/300/870	0.10
16	1	BBBP992C		Carcase Matched Breakfast Bar Back Panel	900/920	
17	1	CB86FCFP	R	Corner Base FH (500 Door) (Flexi C/Post)	800/600/870	0.26
18	1	WU372	R	Wall Unit	300/300/724	0.05
19	1	WU572	R	Wall Unit	500/300/724	0.08
20	1	WU572	L	Wall Unit	500/300/724	0.08
21	1	WU572	L	Wall Unit	500/300/724	0.08
22	1	BH690	L	Boiler Housing	600/400/900	
	1	CONPLINTH		Continuous Plinth (For Tall Filler)	2600	
	1	BWU390C		Carcase Matched Wall Blender (For Filler)	307/970	
	1	BWU390C		Carcase Matched Wall Blender (For Filler)	352/970	

Worktop Details:


Default Style

Plan No.	Qty	Code	Description	Dims
23	1	DPWT	40mm Double PVC Edged / 40mm Premium Worktop	2000/900
24	1	PWT	40mm PVC Edged / 40mm Premium Worktop	3000/600
25	1	PWT	40mm PVC Edged / 40mm Premium Worktop	2800/600
	1	PFUP3095	Laminate Upstand	3000/95
	1	PFUP3095	Laminate Upstand	3000/95
	1	PFUP3095	Laminate Upstand	3000/95


Accessories and Trims:

Default Style

Qty	Code	Description	Dims
1	BRKPLINTH	Plinth Corner Bracket (Pack of 2)	
4	CONPLINTHC	Carcase Matched Continuous Plinth w/Plinth Seal	2600
1	CTRAYVFH6	Standard Internal Cutlery Tray (For BU66F3ID/BU66F4ID)	600
2	FITFACTOR	FITFACTOR	
2	RUNITPROTECT	Kitchen Protective Material	
1	SBACK675	Stainless Steel Splashback	600/750
1	TOPSEALBOLT	Topseal Easibolt Pack	
1	VENTGRIDGR	Aeration Grid Grey	510/45/15



PLEASE CHECK &
CONFIRM DIMENSIONS
& LAYOUT ON SITE
BEFORE ORDERING
CABINETS



Client:	BLOOR HOMES	Drawing No:	635361U_
Site:	2018 CLASSIC NSS VARIATION BESPOKE	Revision No:	
House Type:	CLASSIC 496 DAWLISH UTILITY	Scale:	Scale-to-fit
House Type 2:	STANDARD		



**SCHEDULE &
CUBIC CAPACITY****Symphony**[®]

Client Name: BLOOR HOMES

Site Name: 2018 CLASSIC NSS
VARIATION BESPOKE
HT LVL 2House Type: CLASSIC 496 DAWLISH UTILITY
STANDARDDrawing No: 635361U_
Date Drawn: Thu, Apr 14, 2022
Designed By:Revision No:
Revision Date:

CARA NORTCLIFF

Quote No:

Items on Plan:

Default Style

Plan No.	Qty	Code	Hdg	Description	Dims	CC (M3)
2	1	LU66	R	Larder Unit (70/30 Split)	600/600/2100	0.52
3	1	BBU6592C		Carcase Matched Base Blender	650/920	
4	1	BLU7523C		Carcase Matched Tall Blender	750/2400	
Total cubic metres of storage						0.52

Worktop Details:


Default Style

Plan No.	Qty	Code	Description	Dims
1	1	PWT	40mm PVC Edged / 40mm Premium / 30mm Hi Def Worktop	1500/650
	1	PFUP3095	Laminate Upstand	3000/95

Accessories and Trims:

Default Style

Qty	Code	Description	Dims
1	CONPLINTHC	Carcase Matched Continuous Plinth w/Plinth Seal	2600



Client:	BLOOR HOMES	Drawing No:	635363__
Site:	2018 CLASSIC NSS VARIATION BESPOKE	Revision No:	
House Type:	CLASSIC 496 DAWLISH EXCL. UTILITY	Scale:	Scale-to-fit
House Type 2:	EXCLUSIVE		



THIS DRAWING AND THE COPYRIGHT THEREIN IS THE PROPERTY OF THE SYMPHONY GROUP PLC. THIS DRAWING IS ISSUED ON THE CONDITION THAT IT MUST NOT BE USED, COPIED OR EXHIBITED WITHOUT THE WRITTEN PERMISSION OF THE SYMPHONY GROUP PLC. ANY COMPONENTS OR ARTICLES MADE IN ACCORDANCE WITH THIS DRAWING MUST NOT BE USED FOR ANY OTHER PURPOSE THAN FOR WHICH THE DRAWING IS ISSUED.

THIS PLAN IS OFFERED AS A GUIDE ONLY FOR APPROVAL BY OUR CUSTOMER. NO RESPONSIBILITY IS UNDERTAKEN FOR ITS ACCURACY IN RELATION TO ORDERS PLACED FOR THE FITTING OF OUR GOODS WITHIN THE DIMENSIONS SHOWN.

**SCHEDULE &
CUBIC CAPACITY**



Client Name:	BLOOR HOMES	Site Name:	2018 CLASSIC NSS VARIATION BESPOKE HT LEVEL 2
House Type:	CLASSIC 496 DAWLISH EXCL. UTILITY EXCLUSIVE		
Drawing No:	635363__	Revision No:	
Date Drawn:	Thu, Apr 14, 2022	Revision Date:	
Designed By:	CARA NORTCLIFF	Quote No:	

Items on Plan:

Default Style

Plan No.	Qty	Code	Hdg	Description	Dims	CC (M3)
1	1	BU66F3IDC	R	Base Unit FH w/1x Shallow Int. Drw & 2x Deep Int. Drw	600/600/870	0.20
1.2	1	HOBSHIELD6		Hobshield	600	
2	1	BU36F	R	Base Unit FH	300/600/870	0.09
3	1	BU66F	R	Base Unit FH	600/600/870	0.20
4	1	BU66F	L	Base Unit FH	600/600/870	0.20
5	1	BU56F	L	Base Unit FH	500/600/870	0.16
6	1	BU66F	R	Base Unit FH	600/600/870	0.20
7	1	BU66F	L	Base Unit FH	600/600/870	0.20
8	1	BU66F	L	Base Unit FH	600/600/870	0.20
9	1	BU63F	R	Reduced Depth Base Unit FH	600/300/870	0.10
10	1	BU63F	L	Reduced Depth Base Unit FH	600/300/870	0.10
11	1	BU63F	L	Reduced Depth Base Unit FH	600/300/870	0.10
12	1	BBBP992R		Replacement End Matched Breakfast Bar Back Panel	900/920	
13	1	BU56FG2	L	Base Unit FH (2 Ends)	500/600/870	0.16
14	1	CB86FCFP	R	Corner Base FH (500 Door) (Flexi C/Post)	800/600/870	0.26
15	1	OH663AGL	R	Dbl Oven Hsg. (3A) (LH End)	600/600/2100	0.28
16	1	SU66SLFGL	L	Sink Unit FH w/Sink Liner (LH End)	600/600/870	0.20
17	1	WU572GR	L	Wall Unit (RH End)	500/300/724	0.08
18	1	WU572	L	Wall Unit	500/300/724	0.08
19	1	BH690GR	L	Boiler Housing (Replace RH End on site with panel supplied)	600/400/900	
20	1	WU372	R	Wall Unit	300/300/724	0.05
21	1	WU572GL	R	Wall Unit (LH End)	500/300/724	0.08
	1	BWU390R		Replacement End Matched Wall Blender (For Filler)	307/970	
	1	CONPLINTHR		Replacement End Matched Continuous Plinth (For Tall Filler)	2600	
	1	BWU390R		Replacement End Matched Wall Blender (For Filler)	352/970	

Worktop Details:


Default Style

Plan No.	Qty	Code	Description	Dims
22	1	DPWT	40mm Double PVC Edged / 40mm Premium Worktop	2000/900
23	1	PWT	40mm PVC Edged / 40mm Premium Worktop	3000/600
24	1	PWT	40mm PVC Edged / 40mm Premium Worktop	2800/600
	1	PFUP3095	Laminate Upstand	3000/95
	1	PFUP3095	Laminate Upstand	3000/95
	1	PFUP3095	Laminate Upstand	3000/95


Accessories and Trims:

Default Style

Qty	Code	Description	Dims
4	CONPLINTHR	Replacement End Matched Continuous Plinth w/Plinth Seal	2600
1	CTRAYVFH6	Standard Internal Cutlery Tray (For BU66F3ID/BU66F4ID)	600
2	FITFACTOR	FITFACTOR	
1	GLSPASH675	Glass Splashback	600/750
2	RUNITPROTECT	Kitchen Protective Material	
1	TOPSEALBOLT	Topseal Easibolt Pack	
1	VENTGRIDGR	Aeration Grid Grey	510/45/15



PLEASE CHECK &
CONFIRM DIMENSIONS
& LAYOUT ON SITE
BEFORE ORDERING
CABINETS



Client:	BLOOR HOMES	Drawing No:	635363U_
Site:	2018 CLASSIC NSS VARIATION BESPOKE	Revision No:	
House Type:	CLASSIC 496 DAWLISH UTILITY	Scale:	Scale-to-fit
House Type 2:	EXCLUSIVE		



**SCHEDULE &
CUBIC CAPACITY**

Symphony[®]

Client Name: BLOOR HOMES

Site Name: 2018 CLASSIC NSS
VARIATION BESPOKE
HT LVL 2

House Type: CLASSIC 496 DAWLISH UTILITY
EXCLUSIVE

Drawing No: 635363U_
Date Drawn: Thu, Apr 14, 2022
Designed By:

Revision No:
Revision Date:

CARA NORTCLIFF

Quote No:

Items on Plan:

Default Style

Plan No.	Qty	Code	Hdg	Description	Dims	CC (M3)
2	1	LU66	R	Larder Unit (70/30 Split)	600/600/2100	0.52
3	1	BBU6592R		Replacement End Matched Base Blender	650/920	
4	1	BLU7523R		Replacement End Matched Tall Blender	750/2400	

Total cubic metres of storage

0.52

Worktop Details:


Default Style

Plan No.	Qty	Code	Description	Dims
1	1	PWT	40mm PVC Edged / 40mm Premium / 30mm Hi Def Worktop	1500/650
	1	PFUP3095	Laminate Upstand	3000/95

Accessories and Trims:

Default Style

Qty	Code	Description	Dims
1	CONPLINTHR	Replacement End Matched Continuous Plinth w/Plinth Seal	2600



Client:	BLOOR HOMES	Drawing No:	635362__
Site:	2018 CLASSIC NSS VARIATION BESPOKE	Revision No:	
House Type:	CLASSIC 496 DAWLISH EXCL. UTILITY	Scale:	Scale-to-fit
House Type 2:	UPGRADE		



THIS DRAWING AND THE COPYRIGHT THEREIN IS THE PROPERTY OF THE SYMPHONY GROUP PLC. THIS DRAWING IS ISSUED ON THE CONDITION THAT IT MUST NOT BE USED, COPIED OR EXHIBITED WITHOUT THE WRITTEN PERMISSION OF THE SYMPHONY GROUP PLC. ANY COMPONENTS OR ARTICLES MADE IN ACCORDANCE WITH THIS DRAWING MUST NOT BE USED FOR ANY OTHER PURPOSE THAN FOR WHICH THE DRAWING IS ISSUED.

THIS PLAN IS OFFERED AS A GUIDE ONLY FOR APPROVAL BY OUR CUSTOMER. NO RESPONSIBILITY IS UNDERTAKEN FOR ITS ACCURACY IN RELATION TO ORDERS PLACED FOR THE FITTING OF OUR GOODS WITHIN THE DIMENSIONS SHOWN.

**SCHEDULE &
CUBIC CAPACITY**



Client Name:	BLOOR HOMES	Site Name:	2018 CLASSIC NSS VARIATION BESPOKE HT LEVEL 2
House Type:	CLASSIC 496 DAWLISH EXCL. UTILITY UPGRADE		
Drawing No:	635362__	Revision No:	
Date Drawn:	Thu, Apr 14, 2022	Revision Date:	
Designed By:	CARA NORTCLIFF	Quote No:	

Items on Plan:

Default Style

Plan No.	Qty	Code	Hdg	Description	Dims	CC (M3)
1	1	BU66F3IDC	R	Base Unit FH w/1x Shallow Int. Drw & 2x Deep Int. Drw	600/600/870	0.20
1.2	1	HOBSHIELD6		Hobshield	600	
2	1	BU36F	R	Base Unit FH	300/600/870	0.09
3	1	BU66F	R	Base Unit FH	600/600/870	0.20
4	1	BU66F	L	Base Unit FH	600/600/870	0.20
5	1	BU56F	L	Base Unit FH	500/600/870	0.16
6	1	BU66F	R	Base Unit FH	600/600/870	0.20
7	1	BU66F	L	Base Unit FH	600/600/870	0.20
8	1	BU66F	L	Base Unit FH	600/600/870	0.20
9	1	BU63F	R	Reduced Depth Base Unit FH	600/300/870	0.10
10	1	BU63F	L	Reduced Depth Base Unit FH	600/300/870	0.10
11	1	BU63F	L	Reduced Depth Base Unit FH	600/300/870	0.10
12	1	BBBP992R		Replacement End Matched Breakfast Bar Back Panel	900/920	
13	1	BU56FG2	L	Base Unit FH (2 Ends)	500/600/870	0.16
14	1	CB86FCFP	R	Corner Base FH (500 Door) (Flexi C/Post)	800/600/870	0.26
15	1	OH663AGL	R	Dbl Oven Hsg. (3A) (LH End)	600/600/2100	0.28
16	1	SU66SLFGL	L	Sink Unit FH w/Sink Liner (LH End)	600/600/870	0.20
17	1	WU572GR	L	Wall Unit (RH End)	500/300/724	0.08
18	1	WU572	L	Wall Unit	500/300/724	0.08
19	1	BH690GR	L	Boiler Housing (Replace RH End on site with panel supplied)	600/400/900	
20	1	WU372	R	Wall Unit	300/300/724	0.05
21	1	WU572GL	R	Wall Unit (LH End)	500/300/724	0.08
	1	BWU390R		Replacement End Matched Wall Blender (For Filler)	307/970	
	1	CONPLINTHR		Replacement End Matched Continuous Plinth (For Tall Filler)	2600	
	1	BWU390R		Replacement End Matched Wall Blender (For Filler)	352/970	

Worktop Details:


Default Style

Plan No.	Qty	Code	Description	Dims
22	1	DPWT	40mm Double PVC Edged / 40mm Premium Worktop	2000/900
23	1	PWT	40mm PVC Edged / 40mm Premium Worktop	3000/600
24	1	PWT	40mm PVC Edged / 40mm Premium Worktop	2800/600
	1	PFUP3095	Laminate Upstand	3000/95
	1	PFUP3095	Laminate Upstand	3000/95
	1	PFUP3095	Laminate Upstand	3000/95


Accessories and Trims:

Default Style

Qty	Code	Description	Dims
4	CONPLINTHR	Replacement End Matched Continuous Plinth w/Plinth Seal	2600
1	CTRAYVFH6	Standard Internal Cutlery Tray (For BU66F3ID/BU66F4ID)	600
2	FITFACTOR	FITFACTOR	
2	RUNITPROTECT	Kitchen Protective Material	
1	SBACK675	Stainless Steel Splashback	600/750
1	TOPSEALBOLT	Topseal Easibolt Pack	
1	VENTGRIDGR	Aeration Grid Grey	510/45/15



PLEASE CHECK &
CONFIRM DIMENSIONS
& LAYOUT ON SITE
BEFORE ORDERING
CABINETS



Client:	BLOOR HOMES	Drawing No:	635362U_
Site:	2018 CLASSIC NSS VARIATION BESPOKE	Revision No:	
House Type:	CLASSIC 496 DAWLISH UTILITY	Scale:	Scale-to-fit
House Type 2:	UPGRADE		

Symphony[®]

**SCHEDULE &
CUBIC CAPACITY****Symphony**[®]

Client Name: BLOOR HOMES

Site Name: 2018 CLASSIC NSS
VARIATION BESPOKE
HT LVL 2House Type: CLASSIC 496 DAWLISH UTILITY
UPGRADEDrawing No: 635362U_
Date Drawn: Thu, Apr 14, 2022
Designed By:Revision No:
Revision Date:

CARA NORTCLIFF

Quote No:

Items on Plan:

Default Style

Plan No.	Qty	Code	Hdg	Description	Dims	CC (M3)
2	1	LU66	R	Larder Unit (70/30 Split)	600/600/2100	0.52
3	1	BBU6592R		Replacement End Matched Base Blender	650/920	
4	1	BLU7523R		Replacement End Matched Tall Blender	750/2400	
Total cubic metres of storage						0.52

Worktop Details:

Default Style

Plan No.	Qty	Code	Description	Dims
1	1	PWT	40mm PVC Edged / 40mm Premium / 30mm Hi Def Worktop	1500/650
	1	PFUP3095	Laminate Upstand	3000/95

Accessories and Trims:

Default Style

Qty	Code	Description	Dims
1	CONPLINTHR	Replacement End Matched Continuous Plinth w/Plinth Seal	2600